NSN 5930-01-311-6361

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-311-6361

| Overall Length: |
|---|
| 5.500 inches |
| Overall Height: |
| 7.000 inches |
| Overall Width: |
| 4.937 inches |
| Body Length: |
| 5.500 inches |
| Body Height: |
| 3.250 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.281 inches |
| Capillary Tube Length: |
| 72.0 inches |
| Bulb Length: |
| 2.125 inches |
| Bulb Diameter: |
| 0.375 inches |
| End Application: |
| Oceanographic winch onboard 400 ft wagb coast guard vessels |
| Tempurature Sensing Element Type: |
| Capillary tube-bulb |
| Mounting Method: |
| Unthreaded hole |
| Cubic Measure: |
| 36.000 cubic inches |
| Contact Action Stimulus: |
| Increase |
| Nonpile-up Contact Arrangement: |
| 2 pole, double throw, both positions maintained |
| Terminal Type: |
| Screw |
| Contact Load Current Rating: |
| 15.0 amperes resistive load single voltage |
| Contact Adjustability: |
| Actuation point adjustable or deactuation point adjustable |
| Contact Adjustment Range: |
| +100.00/+400.00 actuation point degrees fahrenheit and +100.00/+400.00 deactuation point degrees fahrenheit |

Contact Adjustment Type:

Internal actuation point screw with scale and internal deactuation point screw with scale

Contact Voltage Rating In Volts:

480.0 ac at sea level single voltage

NSN 5930-01-311-6361

Thermostatic Switch - Page 2 of 2



| Frequency in Hertz: |
|---------------------------|
| 60.0 single voltage |
| Media For Which Designed: |
| Liquid |
| Style Designator: |
| Rectangular |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A048b0