NSN 5930-01-312-6487

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-312-6487

Thread Class: 2b single mounting facility **Overall Length:** 10.062 inches **Overall Height: 3.312 inches Overall Width:** 2.875 inches **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 1.500 inches single actuator **Distance Between Mounting Facility Centers:** 2.875 inches single mounting facility **Individual Section Quantity: End Application:** 4920-01-146-4914 test-station, electrical-electronic equipment **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 1 each section rear **Throw Quantity:** 8 each section rear **Mounting Method:** Threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.164 inches single mounting facility **Contact Voltage Rating In Volts:** 4900.0 ac at sea level **Mounting Facility Pattern:** Two position in-line single mounting facility **Switch Actuator Indexing Position Quantity:** 8 single actuator **Shaft Type:**

Round single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes each section rear

NSN 5930-01-312-6487 Rotary Switch - Page 2 of 2



Switch Actuator Positioning Increment:
30.0 degrees single actuator
Switch Actuator Stop Device Type:
Adjustable stop single actuator
Contact Load Current Rating:
20.0 amperes resistive load ac at sea level
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Style Designator:
Tap, circular frame
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A052b0