NSN 5930-01-313-0563

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-313-0563 **Thread Class:** 2a single threaded stud **Overall Length:** 0.308 inches **Overall Height:** 0.614 inches **Body Diameter:** 0.189 inches **Body Height:** 0.239 inches **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** Between -30.0 degrees fahrenheit and 365.0 degrees fahrenheit **Mounting Method:** Threaded stud **Features Provided:** Hermetically sealed case and internally grounded Thready Qty Per Inch (tpi): 40 single threaded stud **Contact Action Stimulus:** Increase **Thread Size:** 0.112 inches single threaded stud **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 1.0 amperes resistive load first voltage **Contact Adjustability:** Actuation point not adjustable **Contact Stimulus Rating:** 95.00 actuation point degrees fahrenheit and 65.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 28.0 dc at sea level second voltage Frequency In Hertz: 60.0 first voltage Media For Which Designed: Gas or liquid

Disc

Style Designator:

NSN 5930-01-313-0563

Thermostatic Switch - Page 2 of 2



Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc single threaded stud

Specification Data:

81349-mil-s-24236/19 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0