## NSN 5930-01-313-4433

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-313-4433

**Overall Height:** 

0.500 inches

**Body Height:** 

Between 0.280 inches and 0.395 inches

**Overall Diameter:** 

Between 0.540 inches and 0.640 inches

**End Application:** 

Combat control acoustic an/bsy-1 (v)

**Tempurature Sensing Element Type:** 

Internal sensor

**Operating Tempurature Rating:** 

Between -65.0 degrees fahrenheit and 500.0 degrees fahrenheit

**Mounting Method:** 

**Bracket** 

**Features Provided:** 

Hermetically sealed case

**Contact Action Stimulus:** 

Decrease

**Nonpile-up Contact Arrangement:** 

1 pole, single throw, normally open, momentary action

**Terminal Type:** 

Tab, solder lug

**Contact Load Current Rating:** 

5.0 amperes resistive load third voltage and 2.5 amperes inductive load third voltage and 1.0 amperes lamp load third voltage

**Contact Adjustability:** 

Actuation point not adjustable

**Contact Stimulus Rating:** 

155.00 actuation point degrees fahrenheit and 150.00 deactuation point degrees fahrenheit

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level second voltage

Frequency In Hertz:

60.0 first voltage

Media For Which Designed:

Gas or liquid

**Style Designator:** 

Disc

**Test Data Document:** 

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:** 

81349-mil-s-24236/1 government specification

Shelf Life:

N/a

## NSN 5930-01-313-4433

Thermostatic Switch - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A048b0