

<b>NSN 5930-01-314-1967</b> Rotary Switch - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5930-01-314-1967
Thread Class:
2b single mounting facility
Hazardous Locations/environmental Protection:
Moisture resistant
Overall Length:
7.750 inches
Overall Height:
3.750 inches
Overall Width:
3.750 inches
Individual Section Quantity:
9
Switch Contact Basic Design:
Nonpile-up nonsymmetrical
Mounting Facility Circle Radius:
1.625 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:
0.190 inches single mounting facility

**Contact Voltage Rating In Volts:** 

125.0 ac at sea level

**Mounting Facility Pattern:** 

Four position circular single mounting facility

**Switch Actuator Indexing Position Quantity:** 

8 single actuator

**Terminal Type:** 

Tab w/screw

**Contact Switching Action:** 

Makes before breaks 9th section periphery

**Switch Actuator Positioning Increment:** 

45.0 degrees single actuator

**Contact Load Current Rating:** 

10.0 amperes resistive load ac at sea level

**Precious Material And Location:** 

Rotor and stator surfaces silver

**Precious Material:** 

Silver

## NSN 5930-01-314-1967

Rotary Switch - Page 2 of 2



Sty	le	Desi	ign	ato	r:

Tap, circuit selector

## **Thread Series Designator:**

Unc single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A052b0