## NSN 5930-01-318-8739



Thermostatic Switch - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5930-01-318-8739 **Thread Class:** 2a single threaded bushing **Thread Length:** 0.182 inches single threaded bushing and 0.192 inches single threaded bushing **Tempurature Sensing Element Type:** Internal sensor **Mounting Method:** Threaded bushing Thready Qty Per Inch (tpi): 40 single threaded bushing **Contact Action Stimulus:** Increase Thread Size: 0.112 inches single threaded bushing **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 0.5 amperes resistive load second voltage **Contact Adjustability:** Actuation point not adjustable or deactuation point not adjustable **Contact Stimulus Rating:** 215.00 actuation point degrees fahrenheit and 185.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 30.0 dc at sea level second voltage Frequency In Hertz: 60.0 first voltage Media For Which Designed: Gas or liquid **Precious Material And Location:** Contact surface gold

Contact surface gold

Precious Material:
Gold

Thread Series Designator:
Unc single threaded bushing
Shelf Life:
N/a
Unit Of Measure:
-Demilitarization:
No

## NSN 5930-01-318-8739

Thermostatic Switch - Page 2 of 2



Fiig:

A048b0