NSN 5930-01-318-8740

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-318-8740 **Thread Class:** 2a single threaded bushing **Thread Length:** 0.182 inches single threaded bushing and 0.192 inches single threaded bushing **Tempurature Sensing Element Type:** Internal sensor **Mounting Method:** Threaded bushing Thready Qty Per Inch (tpi): 40 single threaded bushing **Contact Action Stimulus:** Increase Thread Size: 0.112 inches single threaded bushing **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 0.5 amperes resistive load second voltage **Contact Adjustability:** Actuation point not adjustable and deactuation point not adjustable **Contact Stimulus Rating:** 175.00 actuation point degrees fahrenheit and 145.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 30.0 dc at sea level second voltage Frequency In Hertz: 60.0 first voltage Media For Which Designed: Gas or liquid **Precious Material And Location:** Contact surface gold **Precious Material:** Gold **Thread Series Designator:** Unc single threaded bushing Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5930-01-318-8740

Thermostatic Switch - Page 2 of 2



Fiig:

A048b0