## NSN 5930-01-320-9387

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-320-9387

**Thread Class:** 

2b single mounting facility

Thread Length:

0.250 inches single mounting facility

**Overall Length:** 

1.467 inches

First Flat Length:

0.250 inches single actuator

Flat Height:

0.094 inches single actuator

**Shaft Diameter:** 

0.125 inches single actuator

**Shaft Length:** 

0.375 inches single actuator

**Overall Diameter:** 

0.500 inches

**Individual Section Quantity:** 

1

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

1 single section rear

**Throw Quantity:** 

6 single section rear

**Mounting Method:** 

Threaded bushing single mounting facility

**Thread Size:** 

0.250 inches single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

**Switch Actuator Indexing Position Quantity:** 

6 single actuator

**Shaft Type:** 

Round, flatted single actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Breaks before makes single section rear

**Switch Actuator Positioning Increment:** 

36.0 degrees single actuator

**Switch Actuator Stop Device Type:** 

Fixed stop single actuator

## NSN 5930-01-320-9387

Rotary Switch - Page 2 of 2



_								
•	or	ntac	t Lo	ad (	Jurr	ent	Ratin	a:

50.0 milliamperes resistive load ac at sea level

**Precious Material And Location:** 

Terminal surfaces and rotor contact surface gold

**Precious Material:** 

Gold

Style Designator:

Snap or line

**Thread Series Designator:** 

Unf single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A052b0