## NSN 5930-01-329-3296

Thermostatic Switch - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5930-01-329-3296
Thread Class:
2a single threaded stud
Thread Length:
0.375 inches single threaded stud
Overall Length:
0.884 inches
Overall Height:
0.722 inches
Body Diameter:
0.660 inches
Body Height:
0.347 inches
End Application:
An/tyq-2 (v) 1, tactical air operations central
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -10.0 degrees fahrenheit and 300.0 degrees fahrenheit
Mounting Method:
Threaded stud
Features Provided:
Hermetically sealed case
Thready Qty Per Inch (tpi):
32 single threaded stud
Contact Action Stimulus:
Increase
Thread Size:
0.138 inches single threaded stud
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
2.0 amperes resistive load second voltage and 1.0 amperes inductive load second voltage and 1.0 amperes lamp load second voltage
Contact Adjustability:
Actuation point not adjustable
Contact Stimulus Rating:
160.00 actuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage

Frequency In Hertz: 60.0 first voltage

## NSN 5930-01-329-3296

Thermostatic Switch - Page 2 of 2

Media For Which Designed:

Gas



Style Designator:
Disc
Test Data Document:
81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unc single threaded stud
Specification Data:
81349-mil-s-24236/20 government specification
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A048b0