

View Online at <https://aerobasegroup.com/nsn/5930-01-330-8617>

**Hazardous Locations/environmental Protection:**

Watertight

**Overall Length:**

5.188 inches

**Overall Height:**

Between 10.173 inches and 10.773 inches

**Overall Width:**

Between 2.690 inches and 2.930 inches

**Body Height:**

Between 2.630 inches and 2.870 inches

**Unthreaded Mounting Hole Diameter:**

Between 0.250 inches and 0.310 inches

**Longest Horizontal Distance Between Mounting Centers:**

Between 2.350 inches and 2.470 inches

**Shortest Horizontal Distance Between Mounting Centers:**

Between 0.600 inches and 0.720 inches

**Longest Vertical Distance Between Mounting Centers:**

Between 3.220 inches and 3.340 inches

**Temperature Sensing Element Type:**

Bulb

**Mounting Method:**

Bracket and unthreaded hole

**Features Provided:**

Electrical access port

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Isosceles triangle

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Screw

**Contact Load Current Rating:**

0.5 amperes resistive load single voltage

**Contact Adjustability:**

Actuation point not adjustable and deactuation point not adjustable

**Contact Stimulus Rating:**

53.00 actuation point degrees fahrenheit and 48.00 deactuation point degrees fahrenheit

**Contact Voltage Rating In Volts:**

24.0 dc at sea level single voltage

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Rectangular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0