NSN 5930-01-332-1096

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-332-1096

Overall Length:
1.180 inches
Overall Height:
0.380 inches
Body Diameter:
0.605 inches
Mounting Slot Width:
0.140 inches
Body Height:
0.290 inches
Unthreaded Mounting Hole Diameter:
0.140 inches
Distance Between Mounting Facility Centers:
0.937 inches
Tempurature Sensing Element Type:
Disc
Operating Tempurature Rating:
Between -80.0 degrees fahrenheit and 550.0 degrees fahrenheit
Mounting Method:
Bracket and unthreaded hole and slot
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
7.0 amperes resistive load third voltage
Contact Adjustability:
Actuation point adjustable, preset and deactuation point not adjustable
Contact Adjustment Range:
-20.00/+500.00 actuation point degrees fahrenheit
Contact Adjustment Type:
Internal actuation point screw
Contact Stimulus Rating:
135.00 actuation point degrees fahrenheit and 145.00 actuation point degrees fahrenheit and 115.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts: 30.0 dc at sea level third voltage

and 125.00 deactuation point degrees fahrenheit

NSN 5930-01-332-1096

Thermostatic Switch - Page 2 of 2



Media For Which Designed:
Gas or liquid
Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0