NSN 5930-01-332-4495

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-332-4495

Thread Class:

3a single threaded bushing

Thread Length:

0.320 inches single threaded bushing and 0.460 inches single threaded bushing

Overall Length:

1.480 inches

Body Diameter:

0.665 inches

Body Length:

Between 0.670 inches and 0.730 inches

Tempurature Sensing Element Type:

Internal sensor

Width Across Flats:

Between 0.990 inches and 1.010 inches

Operating Tempurature Rating:

Between -65.0 degrees celsius and 175.0 degrees celsius

Mounting Method:

Threaded bushing

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Increase

Thread Size:

0.750 inches single threaded bushing

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

3.0 amperes resistive load second voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

190.00 actuation point degrees fahrenheit and 200.00 actuation point degrees fahrenheit and 175.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

28.0 dc at sea level second voltage

Frequency In Hertz:

60.0 first voltage

Media For Which Designed:

Liquid

Style Designator:

Cylindrical w/flange

NSN 5930-01-332-4495

Thermostatic Switch - Page 2 of 2



Thread Series Designator:

Unf single threaded bushing

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0