NSN 5930-01-337-6764

Slide Switch - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5930-01-337-6764 **Body Style:** Printed circuit **Overall Length:** Between 0.360 inches and 0.400 inches **Overall Height:** Between 0.380 inches and 0.480 inches **Overall Width:** Between 0.360 inches and 0.400 inches **Body Length:** Between 0.360 inches and 0.400 inches **Body Width:** Between 0.360 inches and 0.400 inches **Body Height:** Between 0.240 inches and 0.300 inches **Maximum Voltage Rating In Volts:** 24.0 dc **Mounting Method:** Printed circuit **Nonpile-up Contact Arrangement:** 1 pole, single throw, both positions maintained single switch unit **Contact Load Current Rating At Maximum Rated Voltage:** 25.0 milliamperes resistive dc **Special Features:** Actuator recessed **Precious Material And Location:** Terminal surfaces gold **Test Data Document:** 81349-mil-s-83504 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 8 printed circuit **Specification Data:** 81349-mil-s-83504/2 government specification Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Fiig: A053a0

No