# NSN 5930-01-339-4145

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-339-4145

Hazardous Locations/environmental Protection:

Corrosion resistant

Overall Length:

1.875 inches

### **Overall Height:**

4.188 inches

### **Overall Width:**

2.594 inches

#### **Body Height:**

3.500 inches

### Capillary Tube Length:

68.0 inches

### Bulb Length:

3.750 inches

### Bulb Diameter:

0.375 inches

## Tempurature Sensing Element Type:

Capillary tube-bulb

## **Operating Tempurature Rating:**

Between -150.0 degrees fahrenheit and 570.0 degrees fahrenheit

### Mounting Method:

Immersion well

## Features Provided:

Manual reset button

## **Contact Action Stimulus:**

Increase

## Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

### **Terminal Type:**

Screw

## **Contact Load Current Rating:**

5.0 amperes resistive load first voltage3.0 amperes resistive load second voltage

### Contact Adjustability:

Actuation point adjustable

## Contact Adjustment Range:

+60.00/+190.00 actuation point degrees fahrenheit

## Contact Adjustment Type:

External actuation point screw

## Contact Voltage Rating In Volts:

240.0 ac at sea level first voltage600.0 ac at sea level second voltage

# Media For Which Designed:

Liquid

# NSN 5930-01-339-4145

Thermostatic Switch - Page 2 of 2

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A048b0

