

View Online at <https://aerobasegroup.com/nsn/5930-01-339-5080>

Thread Class:

2a single threaded bushing

Hazardous Locations/environmental Protection:

Dustproof

Overall Length:

4.633 inches

Body Diameter:

0.170 inches

Body Length:

2.520 inches

Temperature Sensing Element Type:

Internal sensor

Width Across Flats:

0.890 inches

Mounting Method:

Immersion well and threaded bushing

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Increase

Thread Size:

0.250 inches single threaded bushing

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

2.0 amperes resistive load first voltage and 1.0 amperes inductive load first voltage and 0.5 amperes lamp load first voltage
2.0 amperes resistive load second voltage and 1.0 amperes inductive load second voltage and 0.5 amperes lamp load second voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

400.00 actuation point degrees fahrenheit and 390.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

115.0 ac at sea level first voltage
28.0 dc at sea level second voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Cylindrical w/flange

Thread Series Designator:

Unf single threaded bushing

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0