

View Online at <https://aerobasegroup.com/nsn/5930-01-340-9969>

Overall Length:

1.203 inches

Overall Height:

0.585 inches

Body Diameter:

0.605 inches

Mounting Slot Width:

0.140 inches

Body Height:

0.290 inches

Unthreaded Mounting Hole Diameter:

0.140 inches

Distance Between Mounting Facility Centers:

0.937 inches

End Application:

Satellite communications set an/wsc- (v) 2

Temperature Sensing Element Type:

Disc

Operating Temperature Rating:

Between -85.0 degrees fahrenheit and 500.0 degrees fahrenheit

Mounting Method:

Bracket and unthreaded hole and slot

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Threaded hole

Contact Load Current Rating:

2.0 amperes resistive load first voltage and 1.0 amperes inductive load first voltage and 500.0 milliamperes lamp load first voltage
5.0 amperes resistive load second voltage and 2.5 amperes inductive load second voltage and 1.0 amperes lamp load second voltage

Contact Adjustability:

Actuation point not adjustable

Contact Stimulus Rating:

135.00 actuation point degrees fahrenheit

Contact Voltage Rating In Volts:

28.0 ac at sea level first voltage 115.0 dc at sea level second voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Disc w/flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0