NSN 5930-01-341-7937

Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-341-7937

Overall Length:

1.450 inches

Overall Height:

1.560 inches

Overall Width:

1.200 inches

Mounting Slot Width:

0.100 inches 1st mounting facility

Individual Section Quantity:

2

Longest Horizontal Distance Between Mounting Centers:

1.280 inches 1st mounting facility

Longest Vertical Distance Between Mounting Centers:

0.900 inches 1st mounting facility

Operating Tempurature Range:

-10.0/+65.0 degrees celsius

End Application:

4920-01-190-8207 test console, electrical

Mounting Method:

Bracket 1st mounting facility and slot 1st mounting facilityprinted circuit 2nd mounting facility

Actuator Type:

Thumbwheel all actuators

Contact Voltage Rating In Volts:

120.0 ac at sea level28.0 dc at sea level

Mounting Facility Pattern:

Four position rectangular 1st mounting facility

Switch Actuator Indexing Position Quantity:

10 all actuators

Terminal Type:

Printed circuit

Contact Load Current Rating:

100.0 milliamperes resistive load ac at sea level100.0 milliamperes resistive load dc at sea level

Readout Indicator Marking:

0, 1, 2, 3, 4, 5, 6, 7, 8, 9 each section

Contact Arrangement Truth Table:

Bcd, 1 pole - 10 positions each section

Color:

Black each bodyblack each indicator backgroundwhite each indicator marking

Precious Material And Location:

Stator contact surfaces gold

Precious Material:

Gold

NSN 5930-01-341-7937

Code Indicating Wheel Switch - Page 2 of 2



| Sty | عا | D | 26 | ia | n | a | ŧ٥ | r | |
|-----|----|----|----|----|---|---|----|---|--|
| JLY | ı | יש | ငၥ | щ | | а | ιv | ш | |

Rectangular inline indicating

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0