

View Online at <https://aerobasegroup.com/nsn/5930-01-345-4174>

**Thread Length:**

0.375 inches 2nd mounting facility

**Shaft Length:**

0.375 inches 1st actuator0.250 inches 2nd actuator

**Nonturn Device Radius:**

0.531 inches at 3: 00 o'clock0.531 inches at 9: 00 o'clock

**Individual Section Quantity:**

1

**Nonturn Device Type:**

Tab at 3: 00 o'clocktab at 9: 00 o'clock

**End Application:**

6625-01-250-9594 generator, signa

**Switch Contact Basic Design:**

Nonpile-up symmetrical

**Pole Quantity:**

1 single section periphery

**Throw Quantity:**

7 single section periphery

**Mounting Method:**

Printed circuit 1st mounting facilitythreaded bushing 2nd mounting facility

**Features Provided:**

Variable resistor

**Switch Actuator Indexing Position Quantity:**

7 all actuators

**Shaft Type:**

Round, hollowed 1st actuatorround 2nd actuator

**Terminal Type:**

Printed circuit

**Contact Switching Action:**

Breaks before makes single section periphery

**Switch Actuator Positioning Increment:**

30.0 degrees all actuators

**Switch Actuator Stop Device Type:**

Adjustable stop all actuators

**Style Designator:**

Wafer, printed board, bushing mount

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A052b0