## NSN 5930-01-349-5680

Pressure Switch - Page 1 of 2



Troodic Omion Tage For E
View Online at https://aerobasegroup.com/nsn/5930-01-349-5680
Hazardous Locations/environmental Protection:
Vibration resistant
Overall Length:
5.190 inches
Overall Height:
5.392 inches
Overall Width:
2.950 inches
Body Height:
2.750 inches
Longest Horizontal Distance Between Mounting Centers:
2.406 inches
Shortest Horizontal Distance Between Mounting Centers:
0.656 inches
Longest Vertical Distance Between Mounting Centers:
3.281 inches
Pressure Switch Type:
Gage
Mounting Method:
Bracket
Features Provided:
Automatic reset
Contact Action Stimulus:
Decrease
Mounting Facility Pattern:
Isosceles triangle
Nonpile-up Contact Arrangement:
1 pole, double throw, both positions maintained
Terminal Type:
Screw
Contact Load Current Rating:
16.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point not adjustable
Contact Stimulus Rating:

Contact Climaias Rating.

5.00 deactuation point pounds per square inch gage

**Contact Voltage Rating In Volts:** 

115.0 ac at sea level single voltage

Media For Which Designed:

Liquid

Style Designator:

Rectangular w/bracket

## NSN 5930-01-349-5680

Pressure Switch - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0