NSN 5930-01-351-7175



Rotary Switch - Page 1 of 2	-
View Online at https://aerobasegroup.com/nsn/5930-01-351-7175	
Thread Class:	
2a single mounting facility	
Thread Length:	
0.469 inches single mounting facility	
Hazardous Locations/environmental Protection:	
Waterproof and dustproof	
Overall Length:	
3.180 inches	
Overall Diameter:	
2.810 inches	
Individual Section Quantity:	
4	
Switch Contact Basic Design:	
Nonpile-up symmetrical	
Pole Quantity:	
4 single section front	
Throw Quantity:	
4 single section rear	
Mounting Method:	
Threaded bushing single mounting facility	
Features Provided:	
Metallic inclosure	
Thready Qty Per Inch (tpi):	
32 single mounting facility	
Thread Size:	
0.469 inches single mounting facility	
Contact Voltage Rating In Volts:	
125.0 ac at sea level	
Switch Actuator Indexing Position Quantity:	
4 single actuator	
Terminal Type:	
Screw	

Contact Switching Action:

Breaks before makes single section rear

Contact Load Current Rating:

5.0 amperes resistive load ac at sea level

Precious Material And Location:

Contact surfaces silver

Precious Material:

Silver

Style Designator:

Tap, circular, bushing mount

NSN 5930-01-351-7175

Rotary Switch - Page 2 of 2



Uns single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0