

NSN 5930-01-354-6684 Thermostatic Switch - Page 1 of 2	AeroBase Group
View Online at https://aerobasegroup.com/nsn/5930-01-354-6684	
Hazardous Locations/environmental Protection:	
Fungus resistant and moisture resistant	
Overall Length:	
7.000 inches	
Overall Height:	
2.875 inches	
Overall Width:	
3.500 inches	
Body Length:	
5.875 inches	

Unthreaded Mounting Hole Diameter:

Tempurature Sensing Element Type:

Longest Horizontal Distance Between Mounting Centers:

Longest Vertical Distance Between Mounting Centers:

0.250 inches

5.000 inches

2.375 inches

6.219 inches

Capillary tube

Increase

Feat

Terminal Type:

Wire lead

Mounting Method:

Bracket and unthreaded hole **Contact Action Stimulus:**

Mounting Facility Pattern: Four position rectangular

Nonpile-up Contact Arrangement:

Criticality Code Justification:

Contact Load Current Rating:

Contact Adjustability: Actuation point adjustable **Contact Adjustment Range:**

Contact Adjustment Type:

16.0 amperes resistive load single voltage

External actuation point knob with scale

+40.00/+100.00 actuation point degrees fahrenheit

1 pole, double throw, one position momentary

End Application: 3k gph rowpu.

Capillary Tube Length:

NSN 5930-01-354-6684

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volts: 120.0 ac at sea level single voltage

Special Features:

Weapon system essential

Frequency In Hertz:

50.0 single voltage and 60.0 single voltage

Media For Which Designed:

Gas

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0