

View Online at <https://aerobasegroup.com/nsn/5930-01-358-2472>

Body Style:

Panel mounted

Hazardous Locations/environmental Protection:

Moisture resistant and shock resistant and dustproof

Body Width:

0.740 inches

Body Height:

0.740 inches

Case Material:

Metal

Maximum Voltage Rating In Volts:

28.0 dc and 115.0 ac

End Application:

Deep submergence systems program (dssp); an/srn-2 (v) navigation radio set

Mounting Surface To Terminal End Distance:

2.960 inches

Inclosure Type:

Fully enclosed

Mounting Method:

Panel

Nonpile-up Contact Arrangement:

2 pole, double throw, one position momentary single switch unit

Criticality Code Justification:

Feat

Contact Load Current Rating At Maximum Rated Voltage:

5.000 amperes resistive dc and 2.500 amperes inductive dc and 5.000 amperes resistive ac and 2.500 amperes inductive ac

Special Features:

Weapon system essential

Test Data Document:

81349-mil-s-22885 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

1 socket, integrated wire termination

Specification Data:

81349-mil-s-22885/80 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A053a0