

View Online at <https://aerobasegroup.com/nsn/5930-01-358-2472>

**Body Style:**

Panel mounted

**Hazardous Locations/environmental Protection:**

Moisture resistant and shock resistant and dustproof

**Body Width:**

0.740 inches

**Body Height:**

0.740 inches

**Case Material:**

Metal

**Maximum Voltage Rating In Volts:**

28.0 dc and 115.0 ac

**End Application:**

Deep submergence systems program (dssp); an/srn-2 (v) navigation radio set

**Mounting Surface To Terminal End Distance:**

2.960 inches

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Panel

**Nonpile-up Contact Arrangement:**

2 pole, double throw, one position momentary single switch unit

**Criticality Code Justification:**

Feat

**Contact Load Current Rating At Maximum Rated Voltage:**

5.000 amperes resistive dc and 2.500 amperes inductive dc and 5.000 amperes resistive ac and 2.500 amperes inductive ac

**Special Features:**

Weapon system essential

**Test Data Document:**

81349-mil-s-22885 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Terminal Type And Quantity:**

1 socket, integrated wire termination

**Specification Data:**

81349-mil-s-22885/80 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A053a0