

View Online at <https://aerobasegroup.com/nsn/5930-01-360-8155>

Body Style:

Printed circuit

Overall Length:

1.080 inches

Overall Height:

0.175 inches

Overall Width:

0.300 inches

Body Length:

1.080 inches

Body Width:

0.286 inches

Body Height:

0.180 inches

Switch Actuator Quantity:

10

Actuator Style:

Rectangular

Actuator Position-action Relationship:

Up position maintained and down position maintained

Maximum Voltage Rating In Volts:

24.0 dc

Mounting Method:

Printed circuit

Nonpile-up Contact Arrangement:

1 pole, single throw, both positions maintained 1st switch unit 1 pole, single throw, both positions maintained 2nd switch unit 1 pole, single throw, both positions maintained 3rd switch unit 1 pole, single throw, both positions maintained 4th switch unit 1 pole, single throw, both positions maintained 5th switch unit 1 pole, single throw, both positions maintained 6th switch unit 1 pole, single throw, both positions maintained 7th switch unit 1 pole, single throw, both positions maintained 8th switch unit 1 pole, single throw, both positions maintained 9th switch unit 1 pole, single throw, both positions maintained 10th switch unit

Contact Load Current Rating At Maximum Rated Voltage:

25.0 milliamperes resistive dc

Special Features:

Actuators are recessed

Test Data Document:

81349-mil-s-83504 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

20 printed circuit

Specification Data:

81349-mil-s-83504/12 government specification

Shelf Life:

N/a

Unit Of Measure:

Fig:

A053a0