## NSN 5930-01-364-2618

Slide Switch - Page 1 of 1

No Fiig: A053a0



View Online at https://aerobasegroup.com/nsn/5930-01-364-2618 **Body Style:** Printed circuit **Body Length:** 0.880 inches **Body Width:** 0.300 inches **Body Height:** 0.180 inches **Switch Actuator Quantity: Actuator Style:** Rectangular **Actuator Position-action Relationship:** Up position maintained and down position momentary **Actuator Position-locking Relationship:** Up position locked in and down position locked in **Maximum Voltage Rating In Volts:** 24.0 dc **Mounting Method:** Printed circuit **Nonpile-up Contact Arrangement:** 8 pole, single throw, normally open, momentary action single switch unit **Contact Load Current Rating At Maximum Rated Voltage:** 25.0 milliamperes resistive dc **Test Data Document:** 81349-mil-s-83504 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 16 pin **Specification Data:** 81349-mil-s-83504/12 government specification Shelf Life: N/a **Unit Of Measure: Demilitarization:**