NSN 5930-01-371-1290

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-371-1290

Overall Height:				
0.500 inches				
Body Diameter:				
0.640 inches				
Mounting Slot Width:				
0.140 inches				
Body Height:				
0.364 inches				
Unthreaded Mounting Hole Diameter:				
0.140 inches				
Distance Between Mounting Facility Centers:				
0.937 inches				
Tempurature Sensing Element Type:				
Internal sensor				
Operating Tempurature Rating:				
Between -8.0 degrees fahrenheit and 550.0 degrees fahrenheit				
Mounting Method:				
Bracket and unthreaded hole and slot				
Features Provided:				
Hermetically sealed case				
Contact Action Stimulus:				
Increase				
Mounting Facility Pattern:				
Two position in-line				
Nonpile-up Contact Arrangement:				
1 pole, single throw, normally closed, momentary action				
Terminal Type:				
Tab, solder lug				
Contact Load Current Rating:				
1.0 amperes resistive load first voltage2.0 amperes resistive load second voltage				
Contact Adjustability:				
Actuation point not adjustable and deactuation point not adjustable				
Contact Stimulus Rating:				
96.00 actuation point degrees fahrenheit and 76.00 deactuation point degrees fahrenheit				
Contact Voltage Rating In Volts:				
250.0 ac at sea level first voltage125.0 ac at sea level second voltage				
Frequency In Hertz:				
60.0 first voltage60.0 second voltage				
Media For Which Designed:				
Gas				
Style Designator:				
Disc w/flange				

NSN 5930-01-371-1290

Thermostatic Switch - Page 2 of 2



		fe:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0