NSN 5930-01-372-3673

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-372-3673

Thread Class: 2a single mounting facility **Thread Length:** 0.250 inches single mounting facility **Overall Length:** 1.293 inches **Overall Diameter:** 0.562 inches **Individual Section Quantity: Nonturn Device Type:** Flatted bushing at 3: 00 o'clockflatted bushing at 9: 00 o'clock **Switch Contact Basic Design:** Coded **Mounting Method:** Threaded bushing single mounting facility **Thread Size:** 0.250 inches single mounting facility **Contact Voltage Rating In Volts:** 30.0 ac at sea level **Switch Actuator Indexing Position Quantity:** 12 single actuator **Shaft Type:** Round, flatted single actuator **Terminal Type:** Printed circuit **Switch Actuator Positioning Increment:** 30.0 degrees single actuator **Switch Actuator Stop Device Type:** Adjustable stop single actuator **Contact Load Current Rating:** 125.0 milliamperes resistive load dc at sea level **Contact Arrangement Truth Table:** Binary code with complement, 2 pole - 12 positions single section **Precious Material And Location:** Contact and terminal surfaces gold and contact and terminal surfaces silver **Precious Material:** Gold and silver **Style Designator:** Snap or line

Thread Series Designator: Unef single mounting facility

NSN 5930-01-372-3673

Rotary Switch - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0