## NSN 5930-01-373-3084

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-373-3084

**Thread Class:** 3a single threaded bushing **Thread Length:** 0.394 inches single threaded bushing **Overall Length:** 2.375 inches **Body Diameter:** 0.656 inches **Body Length:** 1.500 inches **Tempurature Sensing Element Type:** Internal sensor Width Across Flats: 1.000 inches **Operating Tempurature Rating:** Between -65.0 degrees fahrenheit and 86.0 degrees fahrenheit **Mounting Method:** Threaded bushing **Contact Action Stimulus:** Decrease **Thread Size:** 0.750 inches single threaded bushing **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Terminal Type:** Connector, receptacle **Contact Load Current Rating:** 2.0 amperes resistive load first voltage2.0 amperes resistive load second voltage **Contact Adjustability:** Actuation point not adjustable and deactuation point not adjustable **Contact Stimulus Rating:** 105.00 actuation point degrees fahrenheit and 102.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 120.0 ac at sea level first voltage30.0 dc at sea level second voltage Frequency In Hertz: 60.0 first voltage Media For Which Designed: Liquid **Style Designator:** Cylindrical w/flange **Thread Series Designator:** 

Unf single threaded bushing

## NSN 5930-01-373-3084

Thermostatic Switch - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0