NSN 5930-01-376-1996

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-376-1996

Overall Length:
5.188 inches
Overall Height:
9.750 inches
Overall Width:
2.812 inches
Body Height:
2.750 inches
Unthreaded Mounting Hole Diameter:
0.218 inches
Longest Horizontal Distance Between Mounting Centers:
2.406 inches
Shortest Horizontal Distance Between Mounting Centers:
0.656 inches
Longest Vertical Distance Between Mounting Centers:
3.281 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Bracket and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Isosceles triangle
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Screw
Contact Load Current Rating:
3.2 amperes inductive load first voltage16.0 amperes inductive load second voltage2.0 amperes inductive load third voltage9.6 amperes
inductive load fourth voltage
Contact Adjustability:
Actuation point adjustable
Contact Adjustment Range:
-10.00/+60.00 actuation point degrees fahrenheit
Contact Adjustment Type:
External actuation point screw
Contact Voltage Rating In Volts:
550.0 ac at sea level first voltage115.0 ac at sea level second voltage550.0 dc at sea level third voltage115.0 dc at sea level fourth voltage

Gas

Frequency In Hertz:

60.0 first voltage60.0 second voltage

Media For Which Designed:

NSN 5930-01-376-1996

Thermostatic Switch - Page 2 of 2



Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0