

View Online at <https://aerobasegroup.com/nsn/5930-01-380-6353>

**Thread Class:**

2b

**Body Style:**

Hole mount

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.709 inches

**Body Length:**

0.538 inches

**Body Width:**

0.325 inches

**Body Height:**

1.236 inches

**Actuator Length:**

0.130 inches

**Actuator Height:**

0.335 inches

**Actuator Width:**

0.130 inches

**Maximum Voltage Rating In Volts:**

250.0 ac and 100.0 dc

**End Application:**

6625-01-292-7347 calibrator, voltage

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Bracket and threaded hole

**Thready Qty Per Inch (tpi):**

40

**Thread Size:**

0.112 inches

**Nonpile-up Contact Arrangement:**

2 pole, single throw, both positions maintained single switch unit

**Contact Load Current Rating At Maximum Rated Voltage:**

6.000 amperes resistive ac and 4.000 amperes inductive ac and 1.000 amperes resistive dc

**Precious Material And Location:**

Contact and terminal surfaces silver

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

4 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A053a0