NSN 5930-01-388-5900

Push Switch - Page 1 of 1

Fiig: A053a0



View Online at https://aerobasegroup.com/nsn/5930-01-388-5900 **Body Style:** Panel mounted **Body Width:** 0.750 inches **Body Height:** 0.750 inches **Maximum Voltage Rating In Volts:** 115.0 ac and 28.0 dc **Mounting Surface To Terminal End Distance:** 1.935 inches **Inclosure Type:** Fully enclosed **Mounting Method:** Printed circuit **Nonpile-up Contact Arrangement:** 2 pole, double throw, both positions maintained single switch unit **Contact Load Current Rating At Maximum Rated Voltage:** 5.000 amperes inductive ac and 1.000 amperes lamp ac and 5.000 amperes resistive ac and 5.000 amperes inductive dc and 1.000 amperes lamp dc and 7.500 amperes resistive dc **Test Data Document:** 81349-mil-s-22885 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 6 printed circuit **Specification Data:** 81349-mil-s-22885/94 government specification Shelf Life: N/a **Unit Of Measure: Demilitarization:** No