NSN 5930-01-390-1300

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-390-1300

Thread Length:

0.437 inches single mounting facility

Overall Length:

1.935 inches

Overall Diameter:

1.360 inches

Nonturn Device Radius:

0.375 inches at 4: 00 o'clock

Individual Section Quantity:

1

Nonturn Device Type:

Tab at 4: 00 o'clock

Operating Tempurature Range:

-65.0/+125.0 degrees celsius

End Application:

M1a1

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

1 single section front

Throw Quantity:

4 single section front

Mounting Method:

Threaded bushing w/panel seal single mounting facility

Contact Voltage Rating In Volts:

28.0 dc at sea level

Switch Actuator Indexing Position Quantity:

4 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes single section front

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

Contact Load Current Rating:

10.0 amperes resistive load dc at sea level

Precious Material And Location:

Contacts and terminals silver

NSN 5930-01-390-1300

Rotary Switch - Page 2 of 2



Precious	Mate	rial	ŀ
----------	------	------	---

Silver

Style Designator:

Tap, circular, bushing mount

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0