

View Online at <https://aerobasegroup.com/nsn/5930-01-408-1458>

Thread Class:

2a single mounting facility

Thread Length:

0.430 inches single mounting facility

Overall Length:

1.800 inches

Overall Diameter:

1.036 inches

Individual Section Quantity:

1

End Application:

F15s amt

Switch Contact Basic Design:

Pile-up

Mounting Method:

Threaded bushing single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.375 inches single mounting facility

Contact Voltage Rating In Volts:

28.0 dc at sea level

Switch Actuator Indexing Position Quantity:

5 all actuators

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

5.0 amperes resistive load ac at sea level

Special Features:

Qsingle pole/deck; 36 deg. Angle between positions; isolation-pull to pos number1, no pull to exit; torque torotate-1.25 in.Lbs. Min. - 3 in.Lbs. max; dielectric strength 1250 vrms; designed iaw m3786 enviro. Req.

Style Designator:

Tap, circular, bushing mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0