

NSN 5930-01-417-5616 Thermostatic Switch - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5930-01-417-5616 **Overall Width:** 4.062 inches **Body Height:** 2.750 inches **Unthreaded Mounting Hole Diameter:** 0.281 inches **Distance Between Mounting Facility Centers:** 5.250 inches **Capillary Tube Length:** 15.0 inches **Bulb Length:** 8.250 inches **Bulb Diameter:** 0.688 inches **Tempurature Sensing Element Type:** Capillary tube-bulb **Operating Tempurature Rating:** 120.0 degrees fahrenheit **Mounting Method:** Bracket and unthreaded hole **Contact Action Stimulus:** Increase **Mounting Facility Pattern:** Two position in-line **Nonpile-up Contact Arrangement:** 1 pole, double throw, one position momentary **Terminal Type:** Screw

Contact Load Current Rating:

8.0 amperes resistive load third voltage

Contact Adjustability:

Actuation point adjustable

Contact Adjustment Range:

+25.00/+90.00 actuation point degrees fahrenheit

Contact Adjustment Type:

Internal actuation point screw

Contact Voltage Rating In Volts:

440.0 ac at sea level third voltage

Media For Which Designed:

Liquid

Style Designator:

Rectangular

NSN 5930-01-417-5616

Thermostatic Switch - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0