NSN 5930-01-419-7855

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-419-7855 **Overall Length:** 0.970 inches **Overall Height:** 0.360 inches **Body Diameter:** 0.660 inches **Mounting Slot Width:** Between 0.094 inches and 0.114 inches **Tempurature Sensing Element Type:** Internal sensor **Mounting Method:** Bracket and slot **Contact Action Stimulus:** Increase **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 2.0 amperes resistive load first voltage and 1.5 amperes inductive load first voltage and 0.5 amperes lamp load first voltage **Contact Adjustability:** Actuation point not adjustable and deactuation point not adjustable **Contact Stimulus Rating:** 150.00 actuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 28.0 dc at sea level second voltage Frequency In Hertz: 60.0 first voltage Media For Which Designed: Solid **Style Designator: Test Data Document:** 81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 81349-mil-s-24236/20 government specification Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5930-01-419-7855 Thermostatic Switch - Page 2 of 2



Fiig:

A048b0