## NSN 5930-01-436-4685

Thermostatic Switch - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5930-01-436-4685

| Longest Horizontal Distance Between Mounting Centers:  |
|--|
| 2.406 inches   |
| Shortest Horizontal Distance Between Mounting Centers:                                       |
| 0.656 inches   |
| Longest Vertical Distance Between Mounting Centers:  |
| 3.281 inches   |
| Tempurature Sensing Element Type:  |
| Bellows  |
| Operating Tempurature Rating:  |
| Between -10.0 degrees fahrenheit and 60.0 degrees fahrenheit                                 |
| Mounting Method:   |
| Flange   |
| Contact Action Stimulus:   |
| Increase   |
| Mounting Facility Pattern:   |
| Isosceles triangle   |
| Contact Adjustability:   |
| Actuation point adjustable, preset   |
| Special Features:  |
| Single pole, single throw; no union; conn tube lg 10 ft; hi close cut in-diff lever assembly |
| Media For Which Designed:  |
| Liquid   |
| Style Designator:  |
| Rectangular w/bracket  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| <del></del>  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A048b0   |
|  |
|  |
|  |