

View Online at <https://aerobasegroup.com/nsn/5930-01-444-5101>

**Thread Class:**

2a all threaded stud

**Thread Direction:**

Right-hand all threaded stud

**Thread Length:**

0.187 inches all threaded stud

**Overall Height:**

0.616 inches

**Body Height:**

0.158 inches

**Overall Diameter:**

0.060 inches

**Temperature Sensing Element Type:**

Disc

**Operating Temperature Rating:**

76.7 degrees celsius

**Mounting Method:**

Threaded stud

**Thready Qty Per Inch (tpi):**

40 all threaded stud

**Thread Size:**

0.112 inches all threaded stud

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally open, momentary action

**Terminal Type:**

Tab, solder lug

**Contact Load Current Rating:**

1.0 amperes resistive load first voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

**Contact Voltage Rating In Volts:**

30.0 dc at sea level second voltage

**Frequency In Hertz:**

60.0 single voltage

**Media For Which Designed:**

Gas

**Precious Material And Location:**

Contacts gold

**Precious Material:**

Gold

**Style Designator:**

Disc

**Test Data Document:**

96906-mil-std-202 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unc all threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0