## NSN 5930-01-444-5101

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-444-5101 **Thread Class:** 2a all threaded stud **Thread Direction:** Right-hand all threaded stud Thread Length: 0.187 inches all threaded stud **Overall Height:** 0.616 inches **Body Height:** 0.158 inches **Overall Diameter:** 0.060 inches **Tempurature Sensing Element Type:** Disc **Operating Tempurature Rating:** 76.7 degrees celsius **Mounting Method:** Threaded stud Thready Qty Per Inch (tpi): 40 all threaded stud **Thread Size:** 0.112 inches all threaded stud **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 1.0 amperes resistive load first voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Voltage Rating In Volts:** 30.0 dc at sea level second voltage Frequency In Hertz:

60.0 single voltage Media For Which Designed: Gas **Precious Material And Location:** Contacts gold **Precious Material:** Gold **Style Designator:** Disc

## NSN 5930-01-444-5101

Thermostatic Switch - Page 2 of 2



## **Test Data Document:**

96906-mil-std-202 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Thread Series Designator:**

Unc all threaded stud

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A048b0