## NSN 5930-01-444-6885

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-444-6885

Thread Class:

2a single threaded stud

Thread Length:

0.187 inches single threaded stud

**Overall Height:** 

0.614 inches

**Body Height:** 

0.216 inches

**Overall Diameter:** 

0.215 inches

**Tempurature Sensing Element Type:** 

Internal sensor

**Operating Tempurature Rating:** 

Between -30.0 degrees fahrenheit and 400.0 degrees fahrenheit

**Mounting Method:** 

Threaded stud

Thready Qty Per Inch (tpi):

40 single threaded stud

**Contact Action Stimulus:** 

Increase

Thread Size:

0.112 inches single threaded stud

**Nonpile-up Contact Arrangement:** 

1 pole, single throw, normally open, momentary action

**Terminal Type:** 

Tab, solder lug

**Contact Load Current Rating:** 

1.0 amperes resistive load first voltage

**Contact Adjustability:** 

Deactuation point not adjustable

**Contact Stimulus Rating:** 

135.00 actuation point degrees fahrenheit

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level second voltage

Frequency In Hertz:

60.0 first voltage

Media For Which Designed:

Gas or liquid

**Style Designator:** 

Disc

## Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5930-01-444-6885

Thermostatic Switch - Page 2 of 2



Thread Series Designator:
Unc single threaded stud
Specification Data:
81349-mil-s-24236/19 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

Fiig:

A048b0