

View Online at <https://aerobasegroup.com/nsn/5930-01-445-2807>

Thread Class:

3b all pressure connection

Inside Diameter:

0.250 inches all connections

Overall Length:

3.650 inches

Overall Height:

3.600 inches

Body Diameter:

3.200 inches

Unthreaded Mounting Hole Diameter:

0.230 inches

Longest Horizontal Distance Between Mounting Centers:

2.030 inches

Longest Vertical Distance Between Mounting Centers:

3.000 inches

End Application:

F-15i

Pressure Switch Type:

Differential

Operating Temperature Rating:

Between -65.0 degrees fahrenheit and 160.0 degrees fahrenheit

Mounting Method:

Flange and unthreaded hole

Contact Action Stimulus:

Decrease

Thread Size:

0.4375 inches all pressure connection

Mounting Facility Pattern:

Four position rectangular

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

100.0 milliamperes resistive load single voltage

Contact Adjustability:

Actuation point not adjustable

Contact Stimulus Rating:

8.50 actuation point inches of water and 13.50 deactuation point inches of water

Contact Voltage Rating In Volts:

28.0 dc at sea level single voltage

Pressure Connector Type:

Gasket seal, threaded internal all connections

Special Features:

Dwg name, switch pressure, differential

Media For Which Designed:

Gas

Style Designator:

Cylindrical w/flange

Thread Series Designator:

Unjf all pressure connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0