NSN 5930-01-448-7801

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-448-7801

Thread Class:

3b first pressure connection

Overall Length:

4.500 inches

Overall Diameter:

3.500 inches

Pressure Switch Type:

Differential

Operating Tempurature Rating:

Between 0.0 degrees fahrenheit and 160.0 degrees fahrenheit

Mounting Method:

Threaded stud

Features Provided:

Automatic reset

Contact Action Stimulus:

Increase

Proof Pressure:

10.00 pounds per square inch

Thread Size:

0.438 inches first pressure connection

Mounting Facility Pattern:

Three position circular

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

5.0 amperes resistive load single voltage and 3.0 amperes inductive load single voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

23.00 actuation point inches of water and 21.70 deactuation point inches of water

Contact Voltage Rating In Volts:

30.0 dc at sea level single voltage

Pressure Connector Type:

Gasket seal, threaded internal all connections

Style Designator:

Cylindrical

Thread Series Designator:

Unjf first pressure connection

Shelf Life:

N/a

NSN 5930-01-448-7801

Pressure Switch - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0

