

View Online at <https://aerobasegroup.com/nsn/5930-01-463-2768>

Overall Length:

0.2715 inches

First Flat Length:

0.250 inches single actuator

Flat Height:

0.251 inches single actuator

Shaft Diameter:

0.375 inches single actuator

Shaft Length:

2.655 inches single actuator

Overall Diameter:

1.188 inches

Individual Section Quantity:

4

Operating Temperature Range:

-65.0/+85.0 degrees celsius

End Application:

High frequency radio repair

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

6 each section front

Throw Quantity:

5 each section front

Mounting Method:

Strut single mounting facility

Contact Voltage Rating In Volts:

6.0 dc at sea level

Switch Actuator Momentary Position:

Counterclockwise all actuators

Rotor Through Connection Quantity:

12 each section

Switch Actuator Indexing Position Quantity:

5 all actuators

Shaft Type:

Round, flatted single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes each section front

Switch Actuator Positioning Increment:

30.0 degrees all actuators

Switch Actuator Stop Device Type:

Fixed stop single actuator

Contact Load Current Rating:

0.1 amperes resistive load dc at sea level

Contact Arrangement Truth Table:

Decimal, 2 pole - 5 positions each section

Special Features:

Spring clips silver alloy with gold flash; rotor blades coin silver alloy; marking plate included with all switches

Precious Material And Location:

Clips gold and clips and rotor blades silver

Precious Material:

Gold and silver

Style Designator:

Circular, cam actuated

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A052b0