

View Online at <https://aerobasegroup.com/nsn/5930-01-476-9007>

**Overall Diameter:**

65.6 millimeters

**Body Thickness:**

10.92 millimeters

**Individual Section Quantity:**

3

**Switch Contact Basic Design:**

Nonpile-up symmetrical

**Pole Quantity:**

2 each section in-line

**Throw Quantity:**

4 each section in-line

**Mounting Method:**

Terminal single mounting facility

**Contact Voltage Rating In Volts:**

28.5 highest dc voltage rating at sea level

**Cam Actuated Switch Contact Arrangement:**

1 pole, double throw, both positions maintained single switch single section front

**Switch Actuator Indexing Position Quantity:**

2 1st actuator

**Terminal Type:**

Connector, receptacle

**Contact Switching Action:**

Makes before breaks each section in-line

**Contact Load Current Rating:**

28.0 amperes resistive load dc at sea level

**Special Features:**

Switch terminator connector- 20 awg, wires shall be contained in outer jacket; solenoid coil current 28.5 vdc; temp rating: -45 degrees c to +85 degrees c

**Style Designator:**

Switch section, rotary

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A052b0