

View Online at <https://aerobasegroup.com/nsn/5930-01-485-6436>

Thread Class:

2a all threaded stud

Overall Length:

4.0313 inches

Overall Height:

7.0625 inches

Overall Width:

4.500 inches

Body Height:

4.375 inches

Capillary Tube Length:

144.0 inches

Bulb Length:

4.022 inches

Bulb Diameter:

0.375 inches

End Application:

Forrestal class cv

Temperature Sensing Element Type:

Capillary tube-bulb

Operating Temperature Rating:

Between 50.0 degrees fahrenheit and 250.0 degrees fahrenheit

Mounting Method:

Threaded stud

Thready Qty Per Inch (tpi):

24 all threaded stud

Contact Action Stimulus:

Increase

Thread Size:

0.190 inches all threaded stud

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Screw

Contact Load Current Rating:

10.0 amperes inductive load second voltage

Contact Adjustability:

Actuation point adjustable and deactuation point adjustable

Contact Adjustment Range:

+50.00/+250.00 actuation point degrees fahrenheit and +49.00/+248.00 deactuation point degrees fahrenheit

Contact Adjustment Type:

External actuation point knob with scale and external deactuation point knob with scale

Contact Voltage Rating In Volts:

480.0 ac at sea level third voltage

Media For Which Designed:

Liquid

Style Designator:

Rectangular

Thread Series Designator:

Unc all threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0