

View Online at <https://aerobasegroup.com/nsn/5930-01-488-6687>

Hazardous Locations/environmental Protection:

Humidity resistant and vibration resistant

Overall Length:

32.0 millimeters

Overall Height:

12.0 millimeters

Body Diameter:

16.0 millimeters

Distance Between Mounting Facility Centers:

24.0 millimeters

Tempurature Sensing Element Type:

Disc

Operating Tempurature Rating:

Between 65.0 degrees celsius and 85.0 degrees celsius

Mounting Method:

Bracket

Features Provided:

Automatic reset

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Terminal Type:

Quick disconnect, male

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Voltage Rating In Volts:

30.0 dc at sea level second voltage

Special Features:

Important - when ordering must specify operating temperature range - open 80 deg. C. Plus or minus 5 deg. C. - close 70 deg. C. Plus or minus 5 deg. C; part name assigned by controlling agency - bimetallic disc thermostat; shock resistant; single pole double throw; normally closed; open on rise; contact point 1 to 100 milliamps; phenolic body; aluminum open cap; stainless steel adjustable mounting bracket

Media For Which Designed:

Gas

Style Designator:

Disc w/flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0