NSN 5930-01-490-3197

Flow Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-490-3197

Thread Class:

2b all threaded hole

Thread Length:

0.250 inches all threaded hole

Overall Height:

Between 2.320 inches and 2.360 inches

Overall Width:

Between 1.090 inches and 1.130 inches

Body Length:

Between 2.500 inches and 2.560 inches

Longest Horizontal Distance Between Mounting Centers:

0.975 inches

Shortest Horizontal Distance Between Mounting Centers:

0.965 inches

Longest Vertical Distance Between Mounting Centers:

0.670 inches

Shortest Vertical Distance Between Mounting Centers:

0.660 inches

End Application:

Joint stars target radar system

Mounting Method:

Bolt

Thready Qty Per Inch (tpi):

A32 all threaded hole

Thread Size:

0.138 inches all threaded hole

Mounting Facility Pattern:

Two position diagonal

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, double break, momentary action

Contact Load Current Rating:

0.5 amperes resistive load single voltage and 0.1 amperes inductive load single voltage

Special Features:

Poet per ms33649-06

Frequency In Hertz:

45.0 single voltage

Media For Which Designed:

Liquid

Style Designator:

Rectangular

Thread Series Designator:

Un all threaded hole

NSN 5930-01-490-3197

Flow Switch - Page 2 of 2



_			-		
C	hο	14		.ife	
•			_	.II C	-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0