NSN 5930-01-508-2327

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-508-2327 **Thread Class:** 2a all threaded stud **Thread Length:** 0.187 inches all threaded stud **Overall Height:** 0.187 inches **Body Height:** 0.216 inches **Overall Diameter:** 0.215 inches **End Application:** E3aawacs **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** Between -10.0 degrees fahrenheit and 350.0 degrees fahrenheit **Mounting Method:** Threaded stud Thready Qty Per Inch (tpi): 40 all threaded stud **Contact Action Stimulus:** Decrease Thread Size: 0.112 inches all threaded stud **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 500.0 milliamperes resistive load second voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 40.00 actuation point degrees fahrenheit and 70.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:**

28.0 dc at sea level second voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Disc

Thread Series Designator:

Unc all threaded stud

NSN 5930-01-508-2327

Thermostatic Switch - Page 2 of 2



| _ | | | | - | | |
|---|---|---|-----|---|------|--|
| C | h | 0 | Iŧ. | | ife: | |
| | | | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0