## NSN 5930-01-511-1138

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-511-1138

**Thread Class:** 

2a single mounting facility

**Thread Length:** 

0.250 inches single mounting facility

**Overall Length:** 

1.115 inches

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.375 inches single actuator

**Overall Diameter:** 

0.500 inches

**Individual Section Quantity:** 

1

**Operating Tempurature Range:** 

-65.0/+85.0 degrees celsius

**Switch Contact Basic Design:** 

Coded

**Mounting Method:** 

Threaded bushing w/panel seal single mounting facility

Thready Qty Per Inch (tpi):

28 single mounting facility

**Thread Size:** 

0.250 inches single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

**Switch Actuator Indexing Position Quantity:** 

16 single actuator

**Shaft Type:** 

Round single actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Breaks before makes single section rear

**Switch Actuator Positioning Increment:** 

22.0 degrees single actuator

**Contact Load Current Rating:** 

200.0 milliamperes resistive load dc at sea level

**Contact Arrangement Truth Table:** 

Gray code plus complement, 10 positions single section

**Precious Material And Location:** 

Contact surfaces gold and contacts silver

## NSN 5930-01-511-1138

Rotary Switch - Page 2 of 2



Precious Material:
Gold and silver
Style Designator:
Snap or line
Thread Series Designator:
Unf single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A052b0