NSN 5930-01-511-1138

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-511-1138

Thread Class:

2a single mounting facility

Thread Length:

0.250 inches single mounting facility

Overall Length:

1.115 inches

Shaft Diameter:

0.250 inches single actuator

Shaft Length:

0.375 inches single actuator

Overall Diameter:

0.500 inches

Individual Section Quantity:

1

Operating Tempurature Range:

-65.0/+85.0 degrees celsius

Switch Contact Basic Design:

Coded

Mounting Method:

Threaded bushing w/panel seal single mounting facility

Thready Qty Per Inch (tpi):

28 single mounting facility

Thread Size:

0.250 inches single mounting facility

Contact Voltage Rating In Volts:

28.0 dc at sea level

Switch Actuator Indexing Position Quantity:

16 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes single section rear

Switch Actuator Positioning Increment:

22.0 degrees single actuator

Contact Load Current Rating:

200.0 milliamperes resistive load dc at sea level

Contact Arrangement Truth Table:

Gray code plus complement, 10 positions single section

Precious Material And Location:

Contact surfaces gold and contacts silver

NSN 5930-01-511-1138

Rotary Switch - Page 2 of 2



| Precious Material: |
|------------------------------|
| Gold and silver |
| Style Designator: |
| Snap or line |
| Thread Series Designator: |
| Unf single mounting facility |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A052b0