

View Online at <https://aerobasegroup.com/nsn/5930-01-524-9103>

**Overall Length:**

1.260 inches

**Overall Height:**

0.500 inches

**Body Diameter:**

0.640 inches

**Mounting Slot Width:**

0.140 inches

**Body Height:**

0.325 inches

**Unthreaded Mounting Hole Diameter:**

0.140 inches

**Distance Between Mounting Facility Centers:**

0.937 inches

**Temperature Sensing Element Type:**

Internal sensor

**Operating Temperature Rating:**

Between -65.0 degrees fahrenheit and 500.0 degrees fahrenheit

**Mounting Method:**

Unthreaded hole and slot

**Features Provided:**

Hermetically sealed case

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, both positions maintained

**Terminal Type:**

Tab, solder lug

**Contact Adjustability:**

Actuation point not adjustable and deactuation point not adjustable

**Contact Stimulus Rating:**

150.00 actuation point degrees fahrenheit and 100.00 deactuation point degrees fahrenheit and -10.00 actuation point degrees fahrenheit and 5.00 deactuation point degrees fahrenheit

**Special Features:**

Type1 class 4 configuration a1, subminiature bimetallic smap action make and break operation

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Disc w/flange

**Specification Data:**

81349 - mil-prf-24236/1 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0

**Mil-std (military Standard):**

Mil-prf-24236 spec.